

Tree Ref.	Species <i>Latin Name</i>	Height (m)	Crown Height (m)	Diameter (cm)	Crown Spread (m)	Observations	Physiological Condition	Structural Condition	Life Expectancy (yrs)	Target Value	Recommendations	Priority	Safety Category	Re-Inspection Timing (y)
T 9	Mature Turkey Oak <i>Quercus cerris</i>	18	9	52	12	Single-stemmed and leaning with an unbalanced crown containing moderate deadwood. No evidence of significant pruning. No major visible defects. Minor bark wound at base.	GOOD	GOOD	40+	LOW	Remove deadwood.	LOW	B	2
T 19	Early-mature Sycamore <i>Acer pseudoplatanus</i>	11	5.5	48	10	The crown overhangs the footpath and road. Single-stemmed and vertical with a balanced crown. Multiple pruning wounds due to crown lifting. Moderate decay cavities to stem. Ivy prevented a detailed inspection.	GOOD	FAIR	10-20	MOD	Remove the Ivy then re-inspect. Monitor biennially.	MOD	B	2
T 24	Mature Common Lime <i>Tilia x europaea</i>	21	8	100	18	The crown overhangs the adjacent garden. Single-stemmed and slightly leaning with a balanced crown. No major visible defects. This tree has been overly crown lifted in the past. Epicormic growth to 6m is impeding the view of neighbouring windows.	GOOD	GOOD	40+	MOD	Remove the epicormic growth to 6 metres.	LOW	B	2
T 28	Mature Common Lime <i>Tilia x europaea</i>	19	8	69	16	The crown overhangs the garden. Single-stemmed and leaning with a balanced crown. Multiple pruning wounds due to crown lifting. Minor decay cavities throughout. Previously topped with sound re-growth above this point. Epicormic growth to 6m is impeding the view of neighbouring windows.	GOOD	FAIR	20-40	MOD	Remove the epicormic growth to 6 metres. Monitor biennially.	LOW	B	2
T 43	Early-mature Common Lime <i>Tilia x europaea</i>	19	4	68 at base	11	The crown overhangs the footpath and road. Twin-stemmed at 0.5m with a slight unbalanced crown. Occasional pruning wounds. No major visible defects.	GOOD	GOOD	20-40	MOD	Crown lift to 5.6 metres over the road.	LOW	B	2
T 46	Mature Common Lime <i>Tilia x europaea</i>	19	10	82	12	The crown overhangs the footpath and road. Twin-stemmed at 8m with a balanced crown. Multiple pruning wounds due to crown lifting. No major visible defects. Minor deadwood noted.	GOOD	GOOD	40+	MOD	Crown clean to remove the deadwood.	LOW	B	2
T 57	Early-mature Common Ash <i>Fraxinus excelsior</i>	18	8	49	13	Single-stemmed and vertical with a balanced sparse crown containing moderate deadwood, die back and branch tear stubs.	FAIR	FAIR	10-20	LOW	Crown clean to remove deadwood and branch tear stubs. Monitor biennially.	LOW	B	2
T 58	Mature Common Ash <i>Fraxinus excelsior</i>	19	5	92	18	Twin-stemmed at 8m with a balanced crown containing moderate deadwood and minor decay cavities. No evidence of significant pruning. A fracture beam is present in the high crown.	GOOD	FAIR	20-40	MOD	Crown clean to remove the deadwood. Monitor biennially.	LOW	B	2
T 70	Mature Sycamore <i>Acer pseudoplatanus</i>	17	6	85	15	Single-stemmed and vertical with a balanced crown. No evidence of significant pruning. Moderate deadwood. Ivy prevented a detailed inspection.	GOOD	GOOD	40+	LOW	Remove the Ivy then re-inspect.	LOW	B	2
T 72	Early-mature Beech <i>Fagus sylvatica</i>	14	3	42	9	Single-stemmed and vertical with a balanced crown. No evidence of significant pruning. Ivy prevented a detailed inspection.	GOOD	GOOD	40+	LOW	Remove the Ivy then re-inspect.	LOW	B	2
T 73	Early-mature Sycamore <i>Acer pseudoplatanus</i>	15	8	50	10	Single-stemmed and vertical with a balanced crown. Multiple pruning wounds due to crown lifting. Minor decay cavities on stem. Ivy prevented a detailed inspection.	GOOD	FAIR	20-40	LOW	Remove the Ivy then re-inspect. Monitor biennially.	LOW	B	2
T 76	Mature Common Lime <i>Tilia x europaea</i>	17	5	70	14	The crown overhangs the footpath and road. Single-stemmed and vertical with a balanced crown. No evidence of significant pruning. No major visible defects. Basal epicormic growth prevented a detailed inspection.	GOOD	GOOD	40+	MOD	Remove the basal epicormic growth then re-inspect for defects.	MOD	B	1